



MICRO FIBRE OPTIC CABLE BLOWING MACHINE

GENERAL DESCRIPTION

TREELAN is designed and produced by KOSMAK MAKINA with desires from users who has experience on cable blowing. This machine is used on cable blowing in ducts. The cable diameter is between 4mm and, we can improve cable diameters range by giving tools for your cable diameters. We need to learn duct diameter or diameters to produce machine for your project.
doesn't include regulating parts prices)

CONTROL

: Technician

NEEDED AIR

: 8 bar - 6 metercup / minute

DIMENSIONS (width x length x height)

: 33 cm x 27 cm x 46 cm

Weight of Machine

: 20





FIBRE OPTIC CABLE BLOWING MACHINE

PRE INSTALLED DUCT DIAMETERS

Our standard TREELAN production is for 40 mm duct dia. We can produce regulating parts for various diameters. These parts can be used for less diameters. For upper duct diameters exit box duct diameter must be lathed for your duct diameter.

You will need different regulating parts for different diameters. You will need different regulating parts for different diameters with your order. (Our price doesn't include regulating parts prices)

FIBRE OPTIC CABLE DIAMETERS

We have four types of machines for cable diameters. These standard cable diameters. These standard cable diameter ranges are noticed down. You must inform you cable diameter and diameter range in you order. We can send you spare parts for your various cable diameters (pallette etc.) (Our price machine price doesn't include these extra spare parts.)

NOTE: This enumerate (see down) is just for classify. That we can produce our machine for different cable diameters.

- 1) Diameter 6 - 12 2) Diameter 13-18 3) Diameter 9-13 4) Diameter 14-22

TECHNICAL PROPERTIES

CONTROL	: By technician
NEEDED AIR	: 10.5 bar 12m ³ /min. (duct 40 hdp)
AIR ENGINE	: Double effective, 740 watt (2 pieces)
NEEDED AIR FOR ENGINE	: 6 Bar-1.6m ³ /min.
CABLE INSTALLING VELOCITY	: 0.30 50m/min
LAY DOWN POWER	:80~85 Kg.
DIMENSIONS (width x length x height)	365mm x 330mm x 540 mm
WEIGHT OF MACHINE	:46 Kg